

L Number	Hits	Search Text	DB	Time stamp
62	48089	insert\$3 with coil\$1	USPAT; JPO; DERWENT	2004/01/08 10:43
63	893	(insert\$3 with coil\$1) and (stator adj core) with slot	USPAT; JPO; DERWENT	2004/01/08 10:41
64	2295	rotat\$3 with (stator adj core)	USPAT; JPO; DERWENT	2004/01/08 10:41
65	170	((insert\$3 with coil\$1) and (stator adj core) with slot) and (rotat\$3 with (stator adj core))	USPAT; JPO; DERWENT	2004/01/08 10:42
66	1110	lead\$1 near exit\$3	USPAT; JPO; DERWENT	2004/01/08 10:53
67	40	(insert\$3 with coil\$1) and (lead\$1 near exit\$3)	USPAT; JPO; DERWENT	2004/01/08 10:42
68	995	insert\$3 with coil\$1 with (stator adj core)	USPAT; JPO; DERWENT	2004/01/08 10:44
69	185	(rotat\$3 with (stator adj core)) and (insert\$3 with coil\$1 with (stator adj core))	USPAT; JPO; DERWENT	2004/01/08 10:43
70	112	(insert\$3 with coil\$1 with (stator adj core)) same (rotat\$3 with (stator adj core))	USPAT; JPO; DERWENT	2004/01/08 10:44
71	101	(insert\$3 with coil\$1 with (stator adj core)) with (rotat\$3 with (stator adj core))	USPAT; JPO; DERWENT	2004/01/08 10:46
72	198511	(first adj end) and (second adj end)	USPAT; JPO; DERWENT	2004/01/08 10:47
73	116	((first adj end) same (second adj end)) with (stator with core)	USPAT; JPO; DERWENT	2004/01/08 10:47
75	1	((insert\$3 with coil\$1 with (stator adj core)) with (rotat\$3 with (stator adj core))) and (((first adj end) same (second adj end)) with (stator with core))	USPAT; JPO; DERWENT	2004/01/08 10:48
74	35	(rotat\$3 with (stator adj core)) and (((first adj end) same (second adj end)) with (stator with core))	USPAT; JPO; DERWENT	2004/01/08 10:51
76	1	(lead\$1 near exit\$3) and (((first adj end) same (second adj end)) with (stator with core))	USPAT; JPO; DERWENT	2004/01/08 10:55
77	4	(lead\$1 near exit\$3) same (stator adj core)	USPAT; JPO; DERWENT	2004/01/08 10:55
78	95	(lead\$1 near exit\$3) and ((first adj end) and (second adj end))	USPAT; JPO; DERWENT	2004/01/08 10:55
79	3	((lead\$1 near exit\$3) and ((first adj end) and (second adj end))) and (stator adj core)	USPAT; JPO; DERWENT	2004/01/08 10:55
80	19	stator with ((three adj phase) same (four adj pole))	JPO	2004/01/08 11:36
-	8999	29/592.1,596,602.1,605,606.ccls.	USPAT; JPO; DERWENT	2004/01/07 15:28
-	1258	concentric adj coil	USPAT; JPO; DERWENT	2004/01/07 15:28
-	15036	stator adj core	USPAT; JPO; DERWENT	2004/01/07 15:28
-	3469	(stator adj core) with slot	USPAT; JPO; DERWENT	2004/01/08 10:40

-	22	29/592.1,596,602.1,605,606.ccls. and (concentric adj coil) and ((stator adj core) with slot)	USPAT; JPO; DERWENT USPAT	2004/01/07 15:40
-	5	("3333329" "4394596" "4619040" "5231324" "5898251").PN.	USPAT	2004/01/07 15:32
-	8	5898251.URPN.	USPAT	2004/01/07 15:34
-	10	("3324322" "3622823" "3979618" "4403160" "4492890" "4750258" "5018676" "5231324" "5376852" "5657530").PN.	USPAT	2004/01/07 15:36
-	17	5231324.URPN.	USPAT	2004/01/07 15:38
-	1109	(three adj phase) and (four adj pole)	USPAT; JPO; DERWENT	2004/01/07 15:41
-	0	(29/592.1,596,602.1,605,606.ccls. and (concentric adj coil) and ((stator adj core) with slot)) and ((three adj phase) and (four adj pole))	USPAT; JPO; DERWENT	2004/01/07 15:40
-	20	29/592.1,596,602.1,605,606.ccls. and ((three adj phase) and (four adj pole))	USPAT; JPO; DERWENT	2004/01/07 15:40
-	5	((stator adj core) with slot) and (29/592.1,596,602.1,605,606.ccls. and ((three adj phase) and (four adj pole)))	USPAT; JPO; DERWENT	2004/01/07 15:41
-	132	stator with ((three adj phase) same (four adj pole))	USPAT; JPO; DERWENT	2004/01/08 11:36
-	4	(concentric adj coil) and (stator with ((three adj phase) same (four adj pole)))	USPAT; JPO; DERWENT	2004/01/07 15:50
-	1858	310/179,184,208.ccls.	USPAT; JPO; DERWENT	2004/01/07 15:50
-	50	(concentric adj coil) and ((stator adj core) with slot)	USPAT; JPO; DERWENT	2004/01/07 15:50
-	13	310/179,184,208.ccls. and ((concentric adj coil) and ((stator adj core) with slot))	USPAT; JPO; DERWENT	2004/01/07 15:50
-	25	("3333329" "3622823" "3664017" "3672026" "3774062" "3949464" "3980910" "4281450" "4357967" "4376904" "4403162" "4642885" "4683650" "4780634" "4947072" "5049773" "5231324" "5270603" "5887632" "5898251" "6229241" "6349463" "6373163" "6429557" "6472790").PN.	USPAT	2004/01/07 15:51
-	23	(stator with ((three adj phase) same (four adj pole))) and 310/179,184,208.ccls.	USPAT; JPO; DERWENT	2004/01/07 15:54
-	3	((concentric adj coil) and ((stator adj core) with slot)) and ((stator with ((three adj phase) same (four adj pole))) and 310/179,184,208.ccls.)	USPAT; JPO; DERWENT	2004/01/07 15:55
-	1339	"72" adj slot	USPAT; JPO; DERWENT	2004/01/07 15:57
-	2	((concentric adj coil) and ((stator adj core) with slot)) and ("72" adj slot)	USPAT; JPO; DERWENT	2004/01/07 15:56
-	8	("72" adj slot) and (four adj coil)	USPAT; JPO; DERWENT	2004/01/07 16:12
-	5	((("4,127,787") or ("6,349,463")).PN.	USPAT; JPO; DERWENT	2004/01/07 16:12

L Number	Hits	Search Text	DB	Time stamp
-	763	stator and core and coil and (four near pole)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 08:10
-	4	("3806785" "4048528" "4890049" "5122705").PN.	USPAT	2003/05/16 10:06
-	10	("3161814" "3396324" "3515922" "3821573" "4200817" "4370581" "4394596" "4500806" "4896063" "4914335").PN.	USPAT	2003/05/16 11:52
-	1	("3201627").PN.	USPAT	2003/05/16 11:59
-	531	310/184.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:00
-	148	310/185.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:02
-	505	310/180.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:02
-	674	310/179.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:02
-	1459	310/40r.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:02
-	392	310/10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:02
-	190	((310/184.ccls. or 310/185.ccls. or 310/180.ccls. or 310/179.ccls. or 310/40r.ccls. or 310/10.ccls.) and ((four or "4") near pole)) and stator and coil	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:06
-	14	((310/184.ccls. or 310/185.ccls. or 310/180.ccls. or 310/179.ccls. or 310/40r.ccls. or 310/10.ccls.) and ((four or "4") near pole)) and stator and coil) and ("72" near slot)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 12:06
-	281	(310/184.ccls. or 310/185.ccls. or 310/180.ccls. or 310/179.ccls. or 310/40r.ccls. or 310/10.ccls.) and ((four or "4") near pole)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 07:55
-	446	(stator and core and coil and (four near pole)) and slot	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 08:11
-	15	(stator and core and coil and (four near pole)) and ("72" near slot)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 08:55
-	14	(US-6359361-\$ or US-5654602-\$ or US-5231324-\$ or US-4409507-\$ or US-3794870-\$ or US-3201627-\$ or US-4672251-\$ or US-4338534-\$ or US-4127787-\$ or US-4260923-\$ or US-4013909-\$ or US-6472790-\$ or US-6281609-\$ or US-5714821-\$).did.	USPAT	2003/05/19 08:20
-	2	(US-3515922-\$ or US-3821573-\$).did.	USOCR	2003/05/19 08:20
-	9	((US-6359361-\$ or US-5654602-\$ or US-5231324-\$ or US-4409507-\$ or US-3794870-\$ or US-3201627-\$ or US-4672251-\$ or US-4338534-\$ or US-4127787-\$ or US-4260923-\$ or US-4013909-\$ or US-6472790-\$ or US-6281609-\$ or US-5714821-\$).did.) and (("4" or four) adj pole)	USPAT	2003/05/19 09:38

-	8	((US-6359361-\$ or US-5654602-\$ or US-5231324-\$ or US-4409507-\$ or US-3794870-\$ or US-3201627-\$ or US-4672251-\$ or US-4338534-\$ or US-4127787-\$ or US-4260923-\$ or US-4013909-\$ or US-6472790-\$ or US-6281609-\$ or US-5714821-\$).did.) and ("4" or four) adj pole) and "72"	USPAT	2003/05/19 08:24
-	8	((US-6359361-\$ or US-5654602-\$ or US-5231324-\$ or US-4409507-\$ or US-3794870-\$ or US-3201627-\$ or US-4672251-\$ or US-4338534-\$ or US-4127787-\$ or US-4260923-\$ or US-4013909-\$ or US-6472790-\$ or US-6281609-\$ or US-5714821-\$).did.) and rotor	USPAT	2003/05/19 09:38
-	13	(coil adj lead) same ((stator adj core) near end)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:57
-	132	luttrell.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:58
-	2	(craig near luttrell).in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:58
-	25	("3333329" "3622823" "3664017" "3672026" "3774062" "3949464" "3980910" "4281450" "4357967" "4376904" "4403162" "4642885" "4683650" "4780634" "4947072" "5049773" "5231324" "5270603" "5887632" "5898251" "6229241" "6349463" "6373163" "6429557" "6472790").PN.	USPAT	2003/10/15 11:59
-	29	((four or "4") near pole) and ("72" near slot) and (("3" or three) near phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:07
-	6	((four or "4") near pole) same ("72" near slot) same (("3" or three) near phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:07
-	7	("2778962" "2778963" "3152273" "3201627" "3408517" "3476964" "3652888").PN.	USPAT	2004/01/08 08:59
-	6	((four or "4") near coils) same ("72" near slot)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:06
-	0	((four or "4") near coils) same ((four or "4") near pole) same ("72" near slot) same (("3" or three) near phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:07
-	3	((four or "4") near coils) same ((four or "4") near pole)) and ("72" near slot) and (("3" or three) near phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:10
-	13	((four or "4") near coils) and ((four or "4") near pole) and ("72" near slot) and (("3" or three) near phase)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:10
-	1	(US-6349463-\$).did.	USPAT	2004/01/08 09:48
-	1	((US-6349463-\$).did.) and exit	USPAT; JPO; DERWENT	2004/01/08 10:32
-	15	(insert\$3 with coils) near rotat\$3	USPAT; JPO; DERWENT	2004/01/08 10:35
-	37	(insert\$3 with coils)with stator near rotat\$3	USPAT; JPO; DERWENT	2004/01/08 10:35
-	37	(insert\$3 with coils) with stator near rotat\$3	USPAT; JPO; DERWENT	2004/01/08 10:37

-	313	(insert\$3 with coils) with stator with rotat\$3	USPAT; JPO; DERWENT	2004/01/08 10:35
-	313	((insert\$3 with coils) with stator) with rotat\$3	USPAT; JPO; DERWENT	2004/01/08 10:36
-	403	(insert\$3 with coils with stator) same (rotat\$3 with stator)	USPAT; JPO; DERWENT	2004/01/08 10:37
-	39897	rotat\$3 with stator	USPAT; JPO; DERWENT	2004/01/08 10:37
-	2810	(insert\$3 with coils) with stator	USPAT; JPO; DERWENT	2004/01/08 10:38
-	847	(rotat\$3 with stator) and ((insert\$3 with coils) with stator)	USPAT; JPO; DERWENT	2004/01/08 10:38